




| Size | ØD1 | ØD2 | ØD3 | L1 | L2 | L3 | DBSE | | | | | |
|------|-----|-----|-----|-----|-----|------|---------|---------|---------|---------|---------|---------|
| | | | | | | | 'A' Min | 'A' Max | 'B' Min | 'B' Max | 'C' Min | 'C' Max |
| 148 | 148 | 84 | 60 | 165 | 202 | 239 | 5.0 | 42.0 | 42.1 | 76.0 | 79.1 | 110.0 |
| 178 | 178 | 103 | 75 | 189 | 230 | 271 | 5.0 | 46.0 | 46.1 | 85.0 | 87.1 | 124.0 |
| 202 | 202 | 119 | 85 | 211 | 261 | 311 | 5.0 | 55.0 | 55.1 | 98.5 | 105.0 | 142.0 |
| 228 | 228 | 135 | 100 | 241 | 293 | 345 | 7.0 | 59.0 | 59.1 | 108.5 | 111.0 | 158.0 |
| 255 | 255 | 151 | 110 | 261 | 321 | 381 | 7.0 | 67.0 | 67.1 | 120.0 | 127.0 | 174.0 |
| 279 | 279 | 167 | 120 | 285 | 355 | 425 | 7.0 | 77.0 | 77.1 | 135.0 | 147.0 | 194.0 |
| 309 | 309 | 182 | 130 | 307 | 382 | 457 | 7.0 | 82.0 | 82.1 | 144.5 | 157.0 | 208.0 |
| 333 | 333 | 200 | 145 | 325 | 412 | 499 | 7.0 | 94.0 | 94.1 | 160.5 | 181.0 | 227.0 |
| 362 | 362 | 213 | 155 | 363 | 453 | 543 | 9.0 | 99.0 | 99.1 | 173.0 | 189.0 | 248.0 |
| 408 | 408 | 243 | 175 | 389 | 487 | 585 | 9.0 | 107.0 | 107.0 | 186.0 | 205.0 | 265.0 |
| 456 | 456 | 267 | 190 | 431 | 546 | 661 | 9.0 | 124.0 | 124.0 | 211.5 | 239.0 | 299.0 |
| 518 | 518 | 311 | 220 | 467 | 590 | 713 | 9.0 | 132.0 | 132.0 | 225.5 | 255.0 | 320.0 |
| 600 | 600 | 336 | 235 | 509 | 639 | 769 | 11.0 | 141.0 | 141.1 | 243.0 | 271.1 | 345.0 |
| 642 | 642 | 366 | 260 | 549 | 692 | 835 | 11.0 | 154.0 | 154.1 | 264.5 | 297.1 | 375.0 |
| 750 | 750 | 446 | 315 | 635 | 797 | 959 | 11.0 | 173.0 | 173.1 | 300.0 | 335.1 | 427.0 |
| 823 | 823 | 492 | 340 | 701 | 877 | 1053 | 11.0 | 187.0 | 187.1 | 327.5 | 363.1 | 468.0 |

| Size | Rating kW/1000 rpm | Max. Continuous Torque - Nm | Peak Overload Torque Nm | Max Speed RPM | Complete Coupling | |
|------|-----------------------|--------------------------------|----------------------------|------------------|-------------------|---------------------------|
| | | | | | Weight Kg | Moment of Iner?a Kg.m2 |
| 148 | 210 | 2'000 | 4'000 | 5'000 | 13.0 | 0.039 |
| 178 | 350 | 3'300 | 6'700 | 4'200 | 22.0 | 0.093 |
| 202 | 530 | 5'100 | 10'100 | 3'800 | 33.5 | 0.179 |
| 228 | 750 | 7'200 | 14'300 | 3'600 | 46.5 | 0.324 |
| 255 | 1'000 | 9'600 | 19'100 | 3'400 | 64.5 | 0.567 |
| 279 | 1'400 | 13'400 | 26'700 | 3'200 | 85.0 | 0.903 |
| 309 | 1'850 | 17'700 | 35'300 | 3'000 | 112.0 | 1.460 |
| 333 | 2'400 | 22'900 | 45'800 | 2'800 | 139.0 | 2.170 |
| 362 | 3'000 | 28'700 | 57'300 | 2'600 | 178.0 | 3.290 |
| 408 | 4'200 | 40'100 | 80'200 | 2'450 | 246.0 | 5.840 |
| 456 | 6'000 | 57'300 | 114'600 | 2'150 | 336.0 | 10.30 |
| 518 | 9'000 | 86'000 | 171'900 | 1'900 | 479.0 | 19.00 |
| 600 | 12'000 | 114'600 | 229'200 | 1'650 | 653.0 | 35.40 |
| 642 | 15'000 | 143'300 | 286'500 | 1'550 | 816.0 | 50.20 |
| 750 | 22'000 | 210'100 | 420'200 | 1'350 | 1334.0 | 112.0 |
| 823 | 33'000 | 315'200 | 630'300 | 1'200 | 1775.0 | 181.0 |



| Size | ØD1 | ØD2 | ØD3 | L1 | L2 | L3 | DBSE | | | | | |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | | | | | | 'A' Min | 'A' Max | 'B' Min | 'B' Max | 'C' Min | 'C' Max |
| 148 | 5.827" | 3.307" | 2.362" | 6.496" | 7.953" | 9.409" | 0.197" | 1.654" | 1.657" | 2.992" | 3.114" | 4.331" |
| 178 | 7.008" | 4.055" | 2.953" | 7.441" | 9.055" | 10.669" | 0.197" | 1.811" | 1.815" | 3.346" | 3.429" | 4.882" |
| 202 | 7.953" | 4.685" | 3.346" | 8.307" | 10.276" | 12.244" | 0.197" | 2.165" | 2.169" | 3.878" | 4.134" | 5.591" |
| 228 | 8.976" | 5.315" | 3.937" | 9.488" | 11.535" | 13.583" | 0.276" | 2.323" | 2.327" | 4.272" | 4.370" | 6.220" |
| 255 | 10.039" | 5.945" | 4.331" | 10.276" | 12.638" | 15.000" | 0.276" | 2.638" | 2.642" | 4.724" | 5.000" | 6.850" |
| 279 | 10.984" | 6.575" | 4.724" | 11.220" | 13.976" | 16.732" | 0.276" | 3.031" | 3.035" | 5.315" | 5.787" | 7.638" |
| 309 | 12.165" | 7.165" | 5.118" | 12.087" | 15.039" | 17.992" | 0.276" | 3.228" | 3.232" | 5.689" | 6.181" | 8.189" |
| 333 | 13.110" | 7.874" | 5.709" | 12.795" | 16.220" | 19.646" | 0.276" | 3.701" | 3.705" | 6.319" | 7.126" | 8.937" |
| 362 | 14.252" | 8.386" | 6.102" | 14.291" | 17.835" | 21.378" | 0.354" | 3.898" | 3.902" | 6.811" | 7.441" | 9.764" |
| 408 | 16.063" | 9.567" | 6.890" | 15.315" | 19.173" | 23.031" | 0.354" | 4.213" | 4.213" | 7.323" | 8.071" | 10.433" |
| 456 | 17.953" | 10.512" | 7.480" | 16.969" | 21.496" | 26.024" | 0.354" | 4.882" | 4.882" | 8.327" | 9.409" | 11.772" |
| 518 | 20.394" | 12.244" | 8.661" | 18.386" | 23.228" | 28.071" | 0.354" | 5.197" | 5.197" | 8.878" | 10.039" | 12.598" |
| 600 | 23.622" | 13.228" | 9.252" | 20.039" | 25.157" | 30.276" | 0.433" | 5.551" | 5.555" | 9.567" | 10.673" | 13.583" |
| 642 | 25.276" | 14.409" | 10.236" | 21.614" | 27.244" | 32.874" | 0.433" | 6.063" | 6.067" | 10.413" | 11.697" | 14.764" |
| 750 | 29.528" | 17.559" | 12.402" | 25.000" | 31.378" | 37.756" | 0.433" | 6.811" | 6.815" | 11.811" | 13.193" | 16.811" |
| 823 | 32.402" | 19.370" | 13.386" | 27.598" | 34.528" | 41.457" | 0.433" | 7.362" | 7.366" | 12.894" | 14.295" | 18.425" |

| Size | Rating | Max. Continuous | Peak Overload | Max Speed | Complete Coupling | |
|------|------------|-----------------|---------------|-----------|-------------------|-----------------------|
| | HP/100 rpm | Torque - lb.in. | Torque lb.in. | RPM | Weight lb. | Moment of Iner?a lb.² |
| 148 | 28.2 | 17'701 | 35'403 | 5'000 | 28.7 | 0.93 |
| 178 | 46.9 | 29'207 | 59'300 | 4'200 | 48.5 | 2.21 |
| 202 | 71.1 | 45'139 | 89'393 | 3'800 | 73.9 | 4.25 |
| 228 | 100.6 | 63'725 | 126'566 | 3'600 | 102.5 | 7.69 |
| 255 | 134.1 | 84'967 | 169'049 | 3'400 | 142.2 | 13.46 |
| 279 | 187.7 | 118'600 | 236'315 | 3'200 | 187.4 | 21.43 |
| 309 | 248.1 | 156'658 | 312'431 | 3'000 | 246.9 | 34.65 |
| 333 | 321.8 | 202'682 | 405'364 | 2'800 | 306.4 | 51.49 |
| 362 | 402.3 | 254'016 | 507'148 | 2'600 | 392.4 | 78.07 |
| 408 | 563.2 | 354'915 | 709'830 | 2'450 | 542.3 | 138.59 |
| 456 | 804.6 | 507'148 | 1014'295 | 2'150 | 740.8 | 244.42 |
| 518 | 1206.9 | 761'164 | 1521'443 | 1'900 | 1056.0 | 450.88 |
| 600 | 1609.2 | 1014'295 | 2028'591 | 1'650 | 1439.6 | 840.05 |
| 642 | 2011.5 | 1268'312 | 2535'739 | 1'550 | 1799.0 | 1191.26 |
| 750 | 2950.2 | 1859'542 | 3719'083 | 1'350 | 2941.0 | 2657.80 |
| 823 | 4425.4 | 2789'755 | 5578'625 | 1'200 | 3913.2 | 4295.20 |